

TRITON
PRODUCTS®

STRENGTH IN ORGANIZATION®

MATERIAL HANDLING, ORGANIZATION & STORAGE SOLUTIONS

INNOVATIVE, DURABLE, SECURE

Triton Products® strives to produce product lines that are formed using the same four guiding principles:

Quality | Innovation | Versatility | Ease of Use

Triton Products® is the industry leader for tool board, hook storage and many styles of stationary wall systems, modular wall systems, mobile tool carts, and more. Our storage and organization solutions help save valuable space, offer industrial-strength holding capacities, and keep tools, parts, and accessories readily available at your fingertips. Triton Products® storage solutions support 5S and Lean storage solutions for the factory floor, maintenance rooms, hospitals, and more.

DuraHook® - Patented pegboard hooks for round-hole pegboard that have a double-locking system, utilizing a locking tab and screw, to ensure the hook and your item will not fall out of the board.

DuraBoard® - Commercial-grade white polypropylene pegboards and black ABS pegboards that are washable.

LocHook® - Industrial strength pegboard hooks for steel, square-hole LocBoard pegboards designed with 2 and 4-point contact locking mechanisms, keeping the hooks in place on the pegboard. These designs aid in offering the ultimate holding capacities for these pegboards, allowing for maximum storage. LocHooks are available in Stainless Steel for harsh environments, clean rooms, and kitchens and Stainless Steel/vinyl-dipped coating ensuring the hook and your items are not scratched or damaged when removed from the LocBoard.

LocBoard® - Steel, Square-Hole Pegboards provide an industrial-strength solution. Stainless Steel Square Hole LocBoards are the ideal solution for hospitals, clean rooms, kitchens, or any harsh environment.

LocBin® - The most innovative channeling system available for small parts. Versatile LocBins can be interlocked, stacked, and/or hung on pegboard with BinClips or on the wall using wall mount rails. These secure storage are guaranteed not to collapse or topple into one another, spilling or mixing contents.

Mobile Tool Carts - Our carts offer double-sided storage with a handle and narrow base, offering a secure and durable way to transport tools and supplies around a facility. MobileTool Carts are available with an aluminum A-frame cart with either DuraBoard or LocBoard pegboards, or in all Stainless Steel.

Xtrawall® - Swing Panels and Mobile Pegboard Units offer double-sided pegboard storage that takes up limited floor and wall space.

Storability® - Heavy-duty modular wall storage systems and accessories offer a customizable wall storage solution that can be built, changed, and expanded as requirements change.

MagClip™ - Easy to use magnetic socket and tool storage helps keep those pesky tool chest and drawer tools and sockets organized and available.

When looking for a secure, strong, and dependable storage solution, go no further than Triton Products®. Utilize our storage solutions to customize storage areas and get organized today!



TABLE OF CONTENTS Page

About Triton Products® / Table of Contents 2

DuraHook 4

DuraBoard.....7

High Density Fiberboard (HDF) & Thermally Fused Laminate (TFL)8

LocHook10

LocBoard.....16

LocBins 20

Mobile Tool Carts..... 24

XtraWall..... 27

Storability 28

Shadow Tape31

Zip Ties 32

LIMITED LIFETIME WARRANTY: Triton Global Products are backed by a Limited Lifetime Warranty to the original owner that our products are free from defects in material and workmanship. If a product is defective when used as intended under normal conditions, Triton Products® will replace the product, send a replacement part or issue a refund (at our option) when the consumer provides the original proof of purchase along with a full description of the defect, to:

Triton Global Products, Inc
30700-D Carter Street
Solon, OH 44139

All of our steel products have been engineered to last a lifetime

EXCLUSIONS TO LIMITED LIFETIME WARRANTY:

- Excludes Normal Wear and Tear
- Excludes Cosmetics and Aesthetics
- Is Void if Products were improperly installed or used incorrectly (i.e., Not per Included Instructions)
- Excludes Plastic and any other Non-Metal based Products
- Limited Lifetime Warranty is Non-Transferable and only applies to the original purchaser
- Original Proof of Purchase is required for all warranty claims.

Patented

DuraHook®



- The first true patented double-locking hook that fits both 1/8" and 1/4" pegboard and DuraBoard® products just by changing the screws included in each pack.
- Hooks mount vertically or horizontally and combine with other hooks to create custom storage options.
- Hooks mount from the front.

P/N	Description	Material	"A" Length	"B" Degree/Bend	"C" Height/Bend	"D" Rod Thickness	"E" Inside Dia.	Qty Per Pack	Qty Per Case
71119	Single Rod	Bright Zinc Plated Steel	1-1/8"	90	1/2"	3/16"		10	25 Pk.
71123	Single Rod	Bright Zinc Plated Steel	1"	30	1"	3/16"		10	25 Pk.
71220	Single Rod	Bright Zinc Plated Steel	2"	Straight		3/16"		10	25 Pk.
71313	Single Rod	Bright Zinc Plated Steel	2-1/2"	30	1/2"	3/16"		10	25 Pk.
71319	Single Rod	Bright Zinc Plated Steel	2-3/4"	90	1/2"	3/16"		10	25 Pk.
71413	Single Rod	Bright Zinc Plated Steel	4"	30	1/2"	3/16"		10	25 Pk.
71613	Single Rod	Bright Zinc Plated Steel	6"	30	1/2"	1/4"		10	25 Pk.
71619	Single Rod	Bright Zinc Plated Steel	6"	90	1/2"	1/4"		10	25 Pk.
71813	Single Rod	Bright Zinc Plated Steel	8"	30	1/2"	1/4"		5	25 Pk.
72318	Double Rod	Bright Zinc Plated Steel	2-3/4"	80	3/4"	1/4"	1-5/8"	10	25 Pk.
72618	Double Rod	Bright Zinc Plated Steel	5-3/4"	80	3/4"	1/4"	1-5/8"	10	25 Pk.
72818	Double Rod	Bright Zinc Plated Steel	8-1/4"	80	3/4"	1/4"	1-5/8"	5	25 Pk.

P/N	Description	Material	Projection	Hold Range	Qty Per Pack	Qty Per Case
73105	Spring Clip - Extended	Annealed Chromate Dipped Steel	7/8"	1/4"-1/2"	10	25 Pk.
73107	Spring Clip - Extended	Annealed Chromate Dipped Steel	2-1/8"	3/4"-1 1/4"	10	25 Pk.
73120	Spring Clip - Extended	Annealed Chromate Dipped Steel	2-5/8"	1/2"	5	25 Pk.
73205	Spring Clip - Standard	Annealed Chromate Dipped Steel	1-1/8"	1/8"-1/2"	10	25 Pk.
73210	Spring Clip - Standard	Annealed Chromate Dipped Steel	1-7/16"	1/2"-1"	10	25 Pk.
76342	Spring Clip - Extended	Annealed Chromate Dipped Steel	2-7/8"	1-7/8"-2-3/4"	5	25 Pk.

P/N	Description	Material	"A" Length	"D" Rod Thickness	"E" Inside Dia.	Qty Per Pack	Qty Per Case
74120	Single Ring Tool Holder	Bright Zinc Plated Steel	1-3/8"	3/16"	3/4"	10	25 Pk.
74212	Double Ring Tool Holder	Bright Zinc Plated Steel	1-7/8"	1/4"	3/4"	10	25 Pk.
74555	Single Ring Tool Holder	Bright Zinc Plated Steel	2-1/2"	3/16"	1-3/4"	5	25 Pk.



“Innovative Products Setting the Standard for Pegboard Storage”

- Designed and tested to meet the toughest commercial and industrial applications.
- Double-locking system ensures stored items and hooks always stay in place.
- Incorporate hanging bins into any round hole pegboard application using P/N 77500 BinClips™.
- Eliminate pegboard framing and mounting hassles and expenses by using P/N 70016 Spacer and Mounting Kit.

P/N	Description	Material	“A” Length	“B” Degree/ Bend	“C” Height/ Bend	“D” Rod Thickness	“E” Inside Dia.	Qty Per Pack	Qty Per Case
72100	Pliers Holder	Bright Zinc Plated Steel	3/4”			3/16”	2”	10	25 Pk.
75200	Curved Hook	Bright Zinc Plated Steel	2-1/4”			3/16”	2”	10	25 Pk.
75230	Curved Hook	Bright Zinc Plated Steel	3-3/4”			1/4”	3-3/32”	10	25 Pk.
76325	Double Mount U Shape	Bright Zinc Plated Steel	2-7/8”			3/16”	1-3/4”	5	25 Pk.
76660	Multi-Prong Tool/Wrench Holder	Bright Zinc Plated Steel	1-3/8”	8-1/8” wide		3/16”	7/16”&13/16”	5	25 Pk.
76666	Multi-Ring Tool Holder	Bright Zinc Plated Steel	1-5/8”	9” wide		3/16”	3/4”	2	25 Pk.
76528	Double Closed- End Loop	Bright Zinc Plated Steel	5”	80	2”	3/16”	2-3/4”	5	25 Pk.
76828	Double Closed- End Loop	Bright Zinc Plated Steel	8”	80	2”	3/16”	2-3/4”	5	25 Pk.
70016	16 Pc. Spacer Kit	Bright Zinc Plated Steel	3/8”					16 Sets	50 Pk.
77500	Binclip (Fits both 1/8” or 1/4” Pegboard or DuraBoard)	Bright Zinc Plated Steel	13/32”					5	50 Pk.

P/N	Description	Material	Qty Per Pack
76126	12” X 6” Blue DuraHook Shelf	Epoxy Coated Steel	1
76126-2	12” X 6” Blue DuraHook Shelf - 2PK	Epoxy Coated Steel	2
76126-36	12” X 6” Blue DuraHook Shelf Pegboard Shelf and 36 DuraHooks	Epoxy Coated Steel	1
76126BK	12” X 6” Black DuraHook Shelf	Epoxy Coated Steel	1
76126BK-2	12” X 6” Black DuraHook Shelf 2PK	Epoxy Coated Steel	2
76126BK-36	(1) Blk Steel Pgbrd Shelf and 36 DuraHooks	Epoxy Coated Steel	1
76126W	12” X 6” White DuraHook Shelf	Epoxy Coated Steel	1
76126W-2	12”Wx6”D White DuraHook Shelf 2PK	Epoxy Coated Steel	2
76126W-36	(1) WH Steel Pgbrd Shelf and 36 DuraHooks	Epoxy Coated Steel	1

DuraHook
Pegboard
Shelf



Pliers Holder



Double Mount
U Shape



Patented

DuraHook®

DuraHook® Kits

P/N	Description	Material	Qty Per Pack	Qty Per Case
76901	DuraHook Kit - 24 Hooks & 2 Bins	Bright Zinc Plated Steel	26	12 Pk.
76936	DuraHook Kit - 36 Hooks	Bright Zinc Plated Steel	36	12 Pk.
76964	DuraHook Kit - 60 Hooks & 4 Bins	Bright Zinc Plated Steel	64	1 Pk.
76983	DuraHook Kit - 79 Hooks & 4 Bins	Bright Zinc Plated Steel	83	1 Pk.
76995	DuraHook Kit - 85 Hooks & 10 Bins	Bright Zinc Plated Steel	95	1 Pk.
532-2	DuraHook Kit - 64 Asst Hooks	Bright Zinc Plated Steel	64	1 Pk.
901	26 pc DuraHook & Bin Asst	Bright Zinc Plated Steel	26	6 Pk.
918	DuraHook Kit - 16 Hooks/2 Bins	Bright Zinc Plated Steel	18	6 Pk.

Stainless Steel DuraHooks®

P/N	Description	Material	"A" Length	"B" Degree/Bend	"C" Height/Bend	"D" Rod Thickness	"E" Inside Dia.	Qty Per Pack	Qty Per Case
81119	Single Rod	Stainless Steel	1-1/8"	90	1/2"	3/16"		3	50 Pk.
81123	Single Rod	Stainless Steel	1"	30	1"	3/16"		3	50 Pk.
81313	Single Rod	Stainless Steel	2-1/2"	30	1/2"	3/16"		3	50 Pk.
81413	Single Rod	Stainless Steel	4"	30	1/2"	3/16"		3	50 Pk.
81613	Single Rod	Stainless Steel	6"	30	1/2"	1/4"		3	50 Pk.
81813	Single Rod	Stainless Steel	8"	30	1/2"	1/4"		2	50 Pk.
82318	Double Rod	Stainless Steel	2-3/4"	80	3/4"	1/4"	1-5/8"	3	50 Pk.
85200	Curved Hook	Stainless Steel	2-1/4"			3/16"		3	50 Pk.
86660	Multi-Prong	Stainless Steel	8-1/8"			13/16"		1	50 Pk.
86666	Multi-Ring	Stainless Steel	8-1/4"			3/4"		1	50 Pk.



86660



81313

DuraBoard®

DuraBoard®

- DuraBoard® is available in white polypropylene or black ABS
- 4 times greater holding power over traditional pegboard.
- Durable, weather-resistant, and washable.
- Available in 2' x 4' and 4' x 8' sheets.
- Full 1/4" thick for maximum holding capacity.
- **Accommodates entire line of 70000 and 80000 series DuraHook® locking pegboard hooks and 1/4" standard pegboard hooks. Mount with 70016 Spacer Kit.**

DuraBoard®

P/N	Description	Color	Storage	Hole Size	Hole Spacing	Boards/Pkg
DB-2	(2) 24" x 48" x 1/4" DuraBoard	White	16 Sq. Ft.	1/4"	1" O.C.	2
DB-4	(4) 24" x 48" x 1/4" DuraBoard	White	32 Sq. Ft.	1/4"	1" O.C.	4
DB-96	(1) 48" x 96" x 1/4" DuraBoard	White	32 Sq. Ft.	1/4"	1" O.C.	1
DB-96BLK	48x96x1/4 Black DuraBoard Pegboard	Black	32 Sq. Ft.	1/4"	1" O.C.	1
DB-2BK	(2) 24" x 48" x 1/4" Black DuraBoard	Black	16 Sq. Ft.	1/4"	1" O.C.	2
DB-4BK	(4) 24" x 48" x 1/4" Black DuraBoard	Black	32 Sq. Ft.	1/4"	1" O.C.	4
019	(2) 22" x 18" x 1/4" White DuraBoard	White	5.5 Sq. Ft.	1/4"	1" O.C.	2

DuraBoard® KITS THE TOTAL STORAGE SOLUTION...

P/N	Description	Storage	Asst. Hooks & BinClips	Plastic Hanging Bins	P/N 70016 Spacer Kit
DB-2 Kit	(2) 24" x 48" x 1/4" DuraBoard	16 Sq. Ft.	48	4	1
DB-2-83	(2) 24"x48"x1/4" DuraBoards, 79 Hooks,4Bins	16 Sq. Ft.	79	4	2
DB-2BK Kit	(2) 24" x 48" x 1/4" Black DuraBoard	16 Sq. Ft.	48	4	2
DB-36BKH-Kit	(1) 24" x 48" x 1/4" DuraBoard	8 Sq. Ft.	36	0	1
DB-36WH-Kit	(1) 24" x 48" x 1/4" DuraBoard	8 Sq. Ft.	36	0	1
DB-4 Kit	(4) 24" x 48" x 1/4" DuraBoard	32 Sq. Ft.	96	8	2
DB-4BK Kit	(4) 24" x 48" x 1/4" Black DuraBoard	32 Sq. Ft.	96	8	2

An assortment of DuraHook® locking pegboard hooks, plastic hanging bin system, wall spacer system.



Patented



High Density Fiberboard (HDF) & Thermally Fused Laminate (TFL)

High Density Fiberboard®


Triton Products High-Density Fiberboard (HDF), thermally-fused, laminate is a commercial-grade pegboard providing a premium solution when a sturdier board is preferred or required. These decorative pegboard panels are ideal for home organization and storage including craft room, laundry room, utility room as well as bedroom and closet areas. HDF is a wood product similar to MDF, but much denser, stronger and harder. It is recommended to be used with our DuraHook 70000 series locking pegboard hooks and accessories. This set of 2 pegboards includes mounting hardware making this a wall-ready storage option.

- Dimensions: 24" x 24" x 1/4"
- Stipple, low-gloss finish great for any project. Subtle stippling hides fingerprints due to its less reflective nature
- Will not crack, even under severe fluctuations in temperature and humidity, completely maintaining the integrity of the finish
- Resin-impregnated laminate created by heat and pressure, activating the resin creating a bond by fusing it directly to the substrate
- Can be cut with a finishing blade, drilled, or routed
- Modulus of Rupture (MOR) rating of 5,000psi

P/N	Description	Storage	Hole Size	Finish	Color
PEG2-BLK	(2) 24" x 42" x 1/4" Wall Ready Black Pegboards	15 1/2 Sq. Ft.	1/4"	Painted	Black
PEG2-WHT	(2) Wall Ready White Pegboards	32 Sq. Ft.	1/4"	Painted	White
PEG36-BLK	Wall Ready Black Pegboard w/ 36 DuraHook	7 3/4 Sq. Ft.	1/4"	Painted	Black
PEG36-WHT	Wall Ready White Pegboard w/ 36 DuraHook	7 3/4 Sq. Ft.	1/4"	Painted	White
TPB-2BK	(2) 24" x 48" x 1/4" High-Density Fiberboard Pegboard	16 Sq. Ft.	1/4"	Painted	Black
TPB-2N	(2) 24" x 48" x 1/4" High-Density Fiberboard Pegboard	16 Sq. Ft.	1/4"	Natural	Natural
TPB-4N	(4) 24" x 48" x 1/4" High-Density Fiberboard Pegboard	16 Sq. Ft.	1/4"	Natural	Natural
TPB-2W	(2) 24" x 48" x 1/4" High-Density Fiberboard Pegboard	16 Sq. Ft.	1/4"	Painted	White
TPB-36BKH-Kit	24" x 48" x 1/4" High-Density Fiberboard Pegboard/36 Hooks	8 Sq. Ft.	1/4"	Painted	Black
TPB-36NH-Kit	24" x 48" x 1/4" High-Density Fiberboard/36 Hooks	8 Sq. Ft.	1/4"	Natural	Natural
TPB-36WH-Kit	24" x 48" x 1/4" High-Density Fiberboard Pegboard/36 Hooks	8 Sq. Ft.	1/4"	Painted	White
TPB-4BK	(4) 24" x 48" x 1/4" High-Density Fiberboard Pegboard	32 Sq. Ft.	1/4"	Painted	Black
TPB-4W	(4) 24" x 48" x 1/4" High-Density Fiberboard Pegboard	32 Sq. Ft.	1/4"	Painted	White
024-SB	(2) 24" x 24" x 1/4" High-Density Fiberboard Pegboard	8 Sq. Ft.	1/4"	Thermally Fused Laminate (TFL)	Steel Bay
024-DW	(2) 24" x 24" x 1/4" High-Density Fiberboard Pegboard	8 Sq. Ft.	1/4"	Thermally Fused Laminate (TFL)	Driftwood



The Mobile Pegboard Unit is ideal for organizing tools and accessories around a workbench, workstation, or other work areas.



Wall Mount Kit

Wall Mount Kit eliminates framing hassles and expenses, requiring no special tools. Includes 16 pieces of each: #12, 2" length wood screws, plastic wall anchors, and 3/8" steel wall spacer.




For Pegboard, HDF & DuraBoard®

Mobile Pegboard Unit

P/N	Description	Assembled Sizes	Load Rating	Wt. (Lbs.)
Mobile Pegboard Units (Set at highest height 80")		3 different heights for versatility 72.25", 76", or 80"		
F1-D*	Duraboard Mobile Pegboard Unit	50.5" W x 80" H x 36.375" D	200 Lbs.	97 lbs.
F1-DBK*	Blk Duraboard Mobile Pegboard Unit	50.5" W x 80" H x 36.375" D	250 Lbs.	85 lbs.
F1-TBK*	Blk High-Density Fiberboard Mobile Pegboard Unit	50.5" W x 80" H x 36.375" D	125 Lbs.	89 lbs.
F1-TW*	White High-Density Fiberboard Mobile Pegboard Unit	50.5" W x 80" H x 36.375" D	150 Lbs.	89 lbs.
F1-LVP*	Louvered Mobile Pegboard Unit	50.5" W x 80" H x 36.375" D	200 Lbs.	131 lbs.


*For shipping details on our Mobile Pegboard Units, please call Triton Products.

- The Mobile Pegboard Unit is ideal for organizing tools and accessories around a workbench, workstation, or other work area to free up space.
- Double-sided pegboard storage up to 250 lb. load capacity makes it ideal for areas where space is at a premium.
- Total storage area per side is 16 sq. ft. for a total of 32 sq. ft. of pegboard storage.
- Pull handle and durable neoprene casters (2 fixed and 2 swivel locking) make it easy to transport the carts across flat surfaces.
- For the most secure tool holding capability on the XtraWall Mobile Pegboard Unit use 70000 series DuraHook locking pegboard hooks and accessories that stay put on the pegboard.
- Powder-coated steel framing prevents scratching and rust.
- Free Standing unit can be set at 3 different height levels - 72.25, 76, or 80 inches.
- DuraBoard Mobile Pegboard Units offer a commercial-grade pegboard system that can be cleaned without harming the board.



LocHook®

- 2 and 4 point contact hooks attach to LocBoard® for metal to metal holding confidence.
- Hooks can be mounted vertically or horizontally and can be combined with other hook styles to create custom storage solutions for virtually any tool shape or weight.
- Special LocScrews hold hooks securely in place horizontally or vertically while preventing any accidental removal.
- Heavy-duty steel construction, zinc plated with chromate dip to offer years of secure holding power.
- Use with LocBoard® steel pegboards with square holes.



P/N	Description	Material	"A" Length	"B" Degree/Bend	"C" Height/Bend	"D" Rod Thickness	"E" Inside Dia.	Qty Per Pack	Qty Per Case
51013	Single Rod	Bright Zinc Plated Steel	1/2"	30	3/4"	3/16"		5	25 Pk.
51110	Single Rod (Straight)	Bright Zinc Plated Steel	1"-1/2"	0	0	3/16"		5	25 Pk.
51113	Single Rod	Bright Zinc Plated Steel	1"	30	1/2"	3/16"		5	25 Pk.
51119	Single Rod	Bright Zinc Plated Steel	1"	90	5/8"	3/16"		5	25 Pk.
51219	Single Rod	Bright Zinc Plated Steel	2"	90	5/8"	3/16"		5	25 Pk.
51310	Single Rod (Straight)	Bright Zinc Plated Steel	3"	0	0	3/16"		5	25 Pk.
51323	Single Rod	Bright Zinc Plated Steel	3"	30	1/2"	1/4"		5	25 Pk.
51413	Single Rod	Bright Zinc Plated Steel	4"	30	1/2"	3/16"		5	25 Pk.
51629	Single Rod	Bright Zinc Plated Steel	6"	90	3/4"	1/4"		5	25 Pk.
51813	Single Rod	Bright Zinc Plated Steel	8"	30	1/2"	1/4"		5	25 Pk.
52113	Double Rod	Bright Zinc Plated Steel	1"	30	1/2"	3/16"	1-11/32"	5	25 Pk.
52119	Double Rod	Bright Zinc Plated Steel	1"	90	3/4"	3/16"	1-11/32"	5	25 Pk.
52213	Double Rod	Bright Zinc Plated Steel	2"	30	1/2"	3/16"	1-11/32"	5	25 Pk.
52313	Double Rod	Bright Zinc Plated Steel	3"	30	1/2"	3/16"	1-11/32"	5	25 Pk.
52319	Double Rod	Bright Zinc Plated Steel	3"	90	3/4"	3/16"	1-11/32"	5	25 Pk.
52419	Double Rod	Bright Zinc Plated Steel	4"	90	3/4"	1/4"	1-5/8"	5	25 Pk.
52628	Double Rod	Bright Zinc Plated Steel	5-3/4"	90	3/4"	1/4"	1-5/8"	5	25 Pk.

P/N	Description	Material	Projection	Hold Range	Qty Per Pack	Qty Per Case
53105	Spring Clip - Extended	Zinc Plated/Chromate Dipped Steel	7/8"	1/4"-1/2"	5	25 Pk.
53107	Spring Clip - Extended	Zinc Plated/Chromate Dipped Steel	2"	3/4"-1-1/4"	5	25 Pk.
53120	Spring Clip - Extended	Zinc Plated/Chromate Dipped Steel	2-3/4"	1"-2"	5	25 Pk.
53130	Spring Clip - Extended	Zinc Plated/Chromate Dipped Steel	3-3/4"	1-1/2"-2-3/4"	5	25 Pk.
53205	Spring Clip	Zinc Plated/Chromate Dipped Steel	1-1/4"	1/4"-1/2"	5	25 Pk.
53210	Spring Clip	Zinc Plated/Chromate Dipped Steel	1-1/2"	1/2"-1"	5	25 Pk.
57600	Grip Clip	Zinc Plated/Chromate Dipped Steel	1-1/4"	1/2"	3	25 Pk.


“Designed to meet the toughest commercial and industrial applications when combined with LocBoard®”

P/N	Description	Material	“A” Length	“D” Rod Thickness	“E” Inside Dia.	Qty Per Pack	Qty Per Case
54105	Single Ring Tool Holder	Bright Zinc Plated Steel	1-1/8”	3/16”	1/2”	5	25 Pk.
54110	Single Ring Tool Holder	Bright Zinc Plated Steel	1-5/8”	3/16”	1”	5	25 Pk.
54117	Single Ring Tool Holder	Bright Zinc Plated Steel	2-1/2”	3/16”	1-3/4”	5	25 Pk.
54375	Pneumatic Tool Holder	Bright Zinc Plated Steel	4-5/8”	1/4”	3-3/4”	3	25 Pk.
55200	Curved Hook	Bright Zinc Plated Steel	2-1/4”	3/16”	2”	5	25 Pk.
55230	Curved Hook	Bright Zinc Plated Steel	3-3/4”	1/4”	3-3/32”	5	25 Pk.
56140	2-5/8” Pliers Holder	Bright Zinc Plated Steel	1-1/4”	3/16”		3	25 Pk.
56150	3” Pliers Holder	Bright Zinc Plated Steel	1-1/2”	3/16”		3	25 Pk.
56201	Closed Hammer/ Pliers Holder	Bright Zinc Plated Steel	2-1/4”	3/16”	1-3/4”	5	25 Pk.


P/N	Description	Material	“A” Length	“B” Degree/ Bend	“C” Height/ Bend	“D” Rod Thickness	“E” Inside Dia.	Qty Per Pack	Qty Per Case
56528	Double Closed-End Loop	Bright Zinc Plated Steel	5”	80	1/2”	3/16”	1-11/32”	5	25 Pk.
56828	Double Closed-End Loop	Bright Zinc Plated Steel	8”	80	3/4”	3/16”	1-11/32”	5	25 Pk.

P/N	Description	Material	I.D. Depth	Width	“D” Rod Thickness	“E” Inside Dia.	Qty Per Pack	Qty Per Case
56660	Multi-Prong Tool Holder	Bright Zinc Plated Steel	1-13/32”	8-1/8”	3/16”	3/4”	1	50 Pk.
56666	Multi-Ring Tool Holder	Bright Zinc Plated Steel	1-5/8”	9”	3/16”	3/4”	2	25 Pk.
57500	BinClip	Bright Zinc Plated Steel	3/8”	2-1/2”			5	50 Pk.

P/N	Description	Material	I.D. Depth	Width	Load Rating	Qty Per Pack	Qty Per Case
56120-BLU	LocBoard Shelf	Blue Epoxy Coated Steel	10”	12”	Rated 40 Lbs.	1 Unit	4 Units
56120-SLV	LocBoard Shelf	Silver Epoxy Coated Steel	10”	12”	Rated 40 Lbs.	1 Unit	4 Units
56120-WHT	LocBoard Shelf	White Epoxy Coated Steel	10”	12”	Rated 40 Lbs.	1 Unit	4 Units
56126-BLU	LB Shelf w/ Garment Hanger	Blue Epoxy Coated Steel	6”	12”	Rated 40 Lbs.	1 Unit	6 Units
56126-SLV	LB Shelf w/ Garment Hanger	Silver Epoxy Coated Steel	6”	12”	Rated 40 Lbs.	1 Unit	6 Units
56126-WHT	LB Shelf w/ Garment Hanger	White Epoxy Coated Steel	6”	12”	Rated 40 Lbs.	1 Unit	6 Units
56126-BLK	LB Shelf w/ Garment Hanger	Black Epoxy Coated Steel	6”	12”	Rated 40 Lbs.	1 Unit	6 Units
56186	Gray LocBoard Shelf	Gray Epoxy Coated Steel	6-1/2”	18”	Rated 40 Lbs.	1 Unit	6 Units
56186-BLK	Black LocBoard Shelf	Black Epoxy Coated Steel	6-1/2”	18”	Rated 40 Lbs.	1 Unit	6 Units
56186-BLU	Blue LocBoard Shelf	Blue Epoxy Coated Steel	6-1/2”	18”	Rated 40 Lbs.	1 Unit	6 Units
56186-WHT	White LocBoard Shelf	White Epoxy Coated Steel	6-1/2”	18”	Rated 40 Lbs.	1 Unit	6 Units
LB-MHK	24 pc Mounting Hardware Kit	Steel				24 PC	100 Pk.



56120-SLV



56186-BLU



56186


LocHook®

LocHook® Assortment Kits

P/N	Description	Qty
LH1-Kit	46 Pc. LocHook® Assortment	1
LH2-Kit	63 Pc. LocHook® Assortment	1
LH3-Kit	28 Pc. LocHook® Assortment & 2 Plastic Hanging Bins	1

46 Pc Zinc Plated Steel Hook Assortment for LocBoard


LH1-Kit (46 pcs.) Includes: (5) 1 In. Single Rod 30-degree Bend; (5) 4 In. Single Rod 30-degree Bend; (5) 1 In. Double Rod 30-degree Bend; (5) 3 In. Double Rod 30-degree Bend; (5) Extended Spring Clip/Spray Can Holder; (5) Standard Spring Clip; (5) Single Ring Tool Holder; (5) 3-7/8 In. Curved Hook; (5) Double Closed-End Loop; (1) Multi-Prong Tool Holder.



P/N LH2-KIT

30 Pc Zinc Plated Steel Hook & Bin Assortment for LocBoard


LH3-Kit (30 pcs.) Includes: (3) 1 in. Single Rod 30-degree bend; (3) 3 in. Single Rod 30-degree bend; (2) 4 in. Single Rod 30-degree bend; (2) 6 in. Single Rod 90-degree bend; (3) 3 in. Double Rod 90-degree bend; (2) 5-3/4 in. Double Rod 80 degree bend; (2) Extended Spring Clips; (2) Standard Spring Clips; (3) 2-1/4 Curved Hook; (2) Closed-End Hammer/ Pliers Holder; (1) Multi-Prong Tool Holder; (1) Multi-Ring Tool Holder; (2) BinClip™(s); (2) Black Plastic Hanging Bins.



P/N LH1-KIT

63 Pc Zinc Plated Steel Hook Assortment for LocBoard

LH2-Kit (63 pcs.) Includes: (5) 1 In. Single Rod 30-degree Bend; (5) 3 In. Single Rod 30-degree Bend; (5) 6 In. single rod 90-degree bend; (5) 3 In. Double Rod 30-degree Bend; (5) 3 In. double rod 90-degree bend; (5) 5-3/4 In. Double Rod 80 Degree Bend; (5) Extended Spring Clip; (5) Extended Spring Clip/Spray Can Holder; (5) Standard Spring Clips; (5) 2-1/4 Curved Hook; (5) Single Ring Tool Holder; (5) Closed-End Hammer/Pliers Holder; (3) Multi-Prong Tool Holder.



P/N LH3-KIT

Stainless steel LocHook® industrial-strength hooks offer the ultimate building block for secure organization and storage.

Stainless Steel LocHook®

- Patented stainless steel LocHook®(s), with 2 and 4 point locking tabs attach vertically or horizontally, locking to stainless steel LocBoard® with stainless metal screws. Repositioning hooks will not damage the board.
- LocHook®(s) are offered in unique styles, including extended and standard spring clips, and BinClips™(s) to mount plastic hanging bins.
- Stainless steel LocHook®(s) used with stainless steel LocBoard®(s) provide a stainless storage solution, ideal for medical, healthcare, restaurant, food, marine, and commercial applications. Made from 304 brushed stainless steel.
- Lifetime warranty.

P/N	Description	Length "A"	Degree/ Bend "B"	Height/ Bend "C"	Rod Thickness "D"	Inside Dia. "E"	Qty Per Pack	Qty Per Case
61113	Stainless Steel Single Rod Hook	1"	30	1/2"	3/16"	N/A	3	50 Pk.
61323	Stainless Steel Single Rod Hook	3"	30	1/2"	1/4"	N/A	3	50 Pk.
61629	Stainless Steel Single Rod Hook	6"	90	3/4"	1/4"	N/A	3	50 Pk.
62419	Stainless Steel Double Rod Hook	4"	90	3/4"	1/4"	1-5/8"	3	50 Pk.
65200	Stainless Steel Curved Hook	2-1/4"	N/A	N/A	3/16"	2"	3	50 Pk.
66201	Stainless Steel Closed Hammer/Pliers Holder	3-1/4"	N/A	N/A	3/16"	1-3/4"	2	50 Pk.
66528	Stainless Steel Double Closed-End Loop	5"	80	2"	3/16"	2-3/4"	2	50 Pk.

P/N	Description	Projection	Width	Degree/ Bend "B"	Height/Bend "C"	Inside Dia. "E"	Qty Per Pack	Qty Per Case
66660	Stainless Steel Multi-Prong Tool Holder	1-13/32"	8-1/8"	30	3/8"	13/32", 3/4"	1	50 Pk.
66661	Stainless Steel Multi-Ring Tool Holder	1-7/8"	9"	N/A	N/A	3/4"	1	50 Pk.

P/N	Description	Projection	Hold Range	Qty Per Pack	Qty Per Case
63105	Stainless Steel Spring Clip - Extended	7/8"	1/4"-1/2"	3	50 Pk.
63107	Stainless Steel Spring Clip - Extended	2-1/8"	3/4"-1-1/2"	3	50 Pk.
63120	Stainless Steel Spring Clip - Extended	2"	1"-2"	3	50 Pk.
63205	Stainless Steel Spring Clip	2-3/4"	1/4"-1/2"	3	50 Pk.



LocHook®


P/N	Description	Gauge	Load Rating
66126	(1) 12" x 6" Stainless Steel Shelf for Stainless Steel LocBoard	18 ga.	35 lbs.
66186	(1) 18" x 6-1/2" Stainless Steel Shelf for Stainless Steel LocBoard	18 ga.	40 lbs.

P/N	Description
LB-MHKS	Stainless Steel LocBoard Mounting Hardware Kit w/12 Stainless Steel Screws & 12 Plastic Wall Anchors

**LocBoard load ratings are based on proper mounting to solid concrete wall systems

P/N	Description	Projection	Height/Bend "C"	Qty Per Pack	Qty Per Case
67500	Stainless Steel BinClip Hanging Bin Holder	3/8"	2-3/16"	3	50 Pk.

Note: Bins over 5" wide require more than one BinClip.





Stainless Steel Vinyl Coated LocHook®



P/N	Description	"A" Length	"B" Degree/Bend	"C" Height/Bend	"D" Rod Thickness	"E" Inside Dia.	Qty Per Pack	Qty Per Case
V62419	Stainless Steel Double Rod Hook Vinyl Coated	4"	90	3/4"	1/4"	1-5/8"	2	50 Pk.

P/N	Description	Projection	Hold Range	Qty Per Pack	Qty Per Case
V63105	Stainless Steel Spring Clip Vinyl Coated - Extended	7/8"	1/4"-1/2"	3	50 Pk.
V63107	Stainless Steel Spring Clip Vinyl Coated - Extended	2-1/8"	3/4"-1-1/2"	3	50 Pk.
V63120	Stainless Steel Spring Clip Vinyl Coated - Extended	2"	1"-2"	3	50 Pk.
V63205	Stainless Steel Spring Clip Vinyl Coated	2-3/4"	1/4"-1/2"	3	50 Pk.

P/N	Description	"A" Length	"B" Degree/Bend	"C" Height/Bend	"D" Rod Thickness	"E" Inside Dia.	Qty Per Pack	Qty Per Case
V66660	Stainless Steel Multi-Prong Tool Holder Vinyl Coated	1-13/32"	8-1/8"	30	3/8"	13/32", 3/4"	1	50 Pk.
V66661	Stainless Steel Multi-Ring Tool Holder Vinyl Coated	1-7/8"	9"	N/A	N/A	3/4"	1	50 Pk.




LocBoard®

- Available in 5 epoxy powder-coated colors.
- Offering heavy-duty storage solutions that will always ensure the ultimate in holding strength.
- All steel boxed construction with hidden mounting flanges.
- Highest industry load ratings.
- Surface of board is ideal for silhouetting of tools and other stored items.
- Boards can be securely mounted horizontally or vertically.
- Mounting hardware is hidden from sight for a clean, durable appearance.
- Attaches to walls, benches, tool carts, wire cages, and other vertical surfaces.
- Accommodates all 50000 series LocHooks® (Pages 8-12)
- 3 board sizes to choose from.

***W = White, B = Blue, BK = Black,
R = Red, G = Grey,***

Use in conjunction with 50000 series LocHook®

P/N	Description	Finish	Total Sq. Ft.	Gauge	Load Rating
LB1-W, B, G	(2) 24' x 24' x 9/16" LocBoards	Epoxy Coated	8 Sq. Ft.	18 ga.	300 lbs. Each
LB2-W, B, R, G	(2) 24" x 42 1/2" x 9/16 LocBoards	Epoxy Coated	14.1 Sq. Ft.	18 ga.	400 lbs. Each
LB18-W, B, BK, R, G	(2) 18" x 36" x 9/16" LocBoards	Epoxy Coated	9 Sq. Ft.	18 ga.	350 lbs. Each




A COMPLETE STORAGE SOLUTION...

Includes an assortment of LocHook® locking hooks for steel pegboard with square holes, and mounting hardware.

LocBoard® Kits

P/N LB18-IGH-KIT



P/N LB18-GKIT



P/N	Description	Asst. Hooks	Finish
WC18-1WH-Kit	LocBoard Wall System Square Hole Pegboard & Locking Hook Organizer & 28 LocHooks	28	White Epoxy Coated

**LocBoard load ratings are based on proper mounting.*

P/N	Description	Size WxLxD	Material	Color	# of Boards	Shipping Wt.
LB18-BKit	(2) 18" x 36" Blue LocBoard Kit with 28 LocHooks and 2 bins	18" x 36" x 9/16"	Steel	Blue	1	23.2 lbs.
LB18-BKKit	(2) 18" x 36" Black LocBoard Kit with 28 LocHooks and 2 bins	18" x 36" x 9/16"	Steel	Black	1	23.2 lbs.
LB18-CK	(2) 18" x 36" White LocBoard Kit with 28 LocHooks and 2 bins	18" x 36" x 9/16"	Steel	White	1	23.2 lbs.
LB18-RKit	(2) 18" x 36" Red LocBoard Kit with 28 LocHooks and 2 bins	18" x 36" x 9/16"	Steel	Red	1	23.2 lbs.
LB18-GKit	(2) 18" x 36" Gray LocBoard Kit with 28 LocHooks and 2 bins	18" x 36" x 9/16"	Steel	Gray	1	23.2 lbs.
LB18-1BH-Kit	(1) 18x36 Blue LocBoard/18 LocHooks	18" x 36" x 9/16"	Steel	Blue	1	14 lbs.
LB18-1GH-Kit	(1) 18x36 Gray LocBoard/18 LocHooks	18" x 36" x 9/16"	Steel	Gray	1	14 lbs.
LB18-1WH-Kit	(1) 18x36 White LocBoard/18 LocHooks	18" x 36" x 9/16"	Steel	White	1	14 lbs.

LocBoard®

P/N	Description (Available in Blue, Black & White)	Size WxLxD	Material	Color	Qty. Per Pack	Shipping Wt.
LB2-Kit	(2) 24" x 42.5" White LocBoard Kit with 63 LocHooks	24" x 42.5" x .5625"	Steel	White	1	36.6 lbs.
LB2-BKit	(2) 24" x 42.5" Blue LocBoard Kit with 63 LocHooks	24" x 42.5" x .5625"	Steel	Blue	1	36.6 lbs.
LB2-GKit	(2) 24" x 42.5" Gray LocBoard Kit with 63 LocHooks	24" x 42.5" x .5625"	Steel	Gray	1	36.6 lbs.
LB2-RKit	(2) 24" x 42.5" Red LocBoard Kit with 63 LocHooks	24" x 42.5" x .5625"	Steel	Red	1	36.6 lbs.


Two boards can be mounted vertically or horizontally together or positioned on multiple wall areas as required.

P/N	Description (Available in Blue & White)	Size WxLxD	Material	Color	Qty. Per Pack	Shipping Wt.
LB1-Kit	(2) 24" x 24" White LocBoard Kit with 46 LocHooks	24" x 24" x .5625"	Steel	White	1	22.8 lbs.
LB1-BKit	(2) 24" x 24" Blue LocBoard Kit with 46 LocHooks	24" x 24" x .5625"	Steel	Blue	1	22.8 lbs.
LB1-GKit	(2) 24" x 24" Gray LocBoard Kit with 46 LocHooks	24" x 24" x .5625"	Steel	Gray	1	22.8 lbs.

Stainless Steel LocBoards®

P/N	Description	Storage	Gauge	Load Rating
LB1-S	(2) 24" x 24" x 9/16" 4 Stainless Steel Square Hole LocBoard w/ Wall Mounting Hardware	8 Sq Ft	18 ga.	300 lbs.
LB18-S	(2) 18" x 36" x 9/16" 304 Stainless Steel Square Hole LocBoard w/ Wall Mounting Hardware	9 Sq. Ft.	18 ga.	350 lbs.
LB2-S	(2) 24" x 42-1/2" x 9/16" 304 Stainless Steel Square Hole LocBoard w/ Wall Mounting Hardware	14 Sq. Ft.	18 ga.	400 lbs.

- Perfect storage solution for sterile or harsh environments in health, medical, food, marine and industry and commercial applications.
- Sturdy mounting flanges make it easy to attach LocBoard®(s) to almost any wall or other vertical surface.
- Box construction eliminates the need for spacers between board and wall.
- Constructed of 304 brushed stainless steel with square holes that accommodate stainless steel LocHook®(s).
- Stainless steel LocBoard®(s) have a limited lifetime warranty and will not rust or corrode in extreme hot or cold temperatures.
- Includes stainless steel mounting screws that will be hidden from sight after installation, providing a clean and attractive appearance.
- Commercial construction allows for years of heavy-duty use, while maintaining a shiny, polished surface



P/N LB18-S

Stainless Steel LocBoards® Kits

P/N	Description	Storage	Gauge	Load Rating
LB1-S Kit	(2) 24" x 24" x 9/16" 304 Stainless Steel LocBoards®, (46) Stainless Steel LocHooks® Assortment and All Mounting Hardware	8 Sq. Ft.	18 ga.	300 lbs.
LB18-S Kit	(2) 18" x 36" x 9/16" 304 Stainless Steel LocBoards®, (32) Stainless Steel LocHooks® Assortment, (3) Plastic Hanging Bins and All Mounting Hardware	9 Sq. Ft.	18 ga.	350 lbs.
LB2-S Kit	(2) 24" x 42-1/2" x 9/16" 304 Stainless Steel LocBoards®, (45) Stainless LocHooks® Assortment, and All Mounting Hardware	14 Sq. Ft.	18 ga.	400 lbs.

“The ultimate commercial pegboard wall storage system that ensures maximum holding strength!”

LocBoard Strips

- LocBoard® steel pegboard strips with square holes offers an ideal solution for heavy, long handle, hand, garden, and power tool storage.
- Organize your workstation or shop using any open wall space, just install LocBoard® pegboard strips above your workbench or work area to customize the storage area to meet your requirements.
- Multi-use strips can store almost any tool securely.
- All hooks lock securely on the LocBoard® strip and are easily repositioned in seconds with no damage to the pegboard.

P/N	Description	Finish	Color	Qty Per Pack	Total Sq. Ft.	Gauge	Load Rating
LBS-1S	36"W x 4.5"H Silver Steel Square Hole Pegboard Strip	Epoxy	Silver	1	1.13	18 ga.	75 lbs.
LBS-1W	36"W x 4.5"H White Steel Square Hole Pegboard Strip	Epoxy	White	1	1.13	18 ga.	75 lbs.
LBS-2S	31.5"W x 9"H Silver Steel Square Hole Pegboard Strip	Epoxy	Silver	1	1.97	18 ga.	100 lbs.
LBS-2W	31.5"W x 9"H White Steel Square Hole Pegboard Strip	Epoxy	White	1	1.97	18 ga.	100 lbs.
LBS-3S	30"W x 12"H Silver Steel Square Hole Pegboard Strip	Epoxy	Silver	1	2.5	18 ga.	125 lbs.
LBS-3W	30"W x 12"H White Steel Square Hole Pegboard Strip	Epoxy	White	1	2.5	18 ga.	125 lbs.
LBS-4S	18"W x 4.5"H Silver Steel Square Hole Pegboard Strip	Epoxy	Silver	1	.56	18 ga.	50 lbs.
LBS-4W	18"W x 4.5"H White Steel Square Hole Pegboard Strip	Epoxy	White	1	.56	18 ga.	50 lbs.

LocBoard Strip Kits

P/N	Description	Material	Color	Qty Per Pack	Shipping Wt.
LBS18K-SLV	18" x 4.5" Silver Key Holder Pegboard Strip Kit with 5 LocHooks	Steel	Silver	1	2.38 lbs.
LBS18K-WHT	18" x 4.5" White Key Holder Pegboard Strip Kit with 5 LocHooks	Steel	White	1	2.38 lbs.
LBS18T-SLV	18" x 4.5" Silver Tool Pegboard Strip Kit with 5 LocHooks	Steel	Silver	1	3.63 lbs.
LBS18T-WHT	18" x 4.5" White Tool Pegboard Strip Kit with 5 LocHooks	Steel	White	1	3.63 lbs.
LBS30L-SLV	Silver Laundry Room Organizer Kit with 9 LocHooks and 2 LocHook shelves	Steel	Silver	1	24.01 lbs.
LBS30L-WHT	White Laundry Room Organizer Kit with 9 LocHooks and 2 LocHook shelves	Steel	White	1	24.01 lbs.
LBS31G-SLV	31.5" x 9" Silver Steel Garden Storage Kit with 8 LocHooks	Steel	Silver	1	6.85 lbs.
LBS31G-WHT	31.5" x 9" White Steel Garden Storage Kit with 8 LocHooks	Steel	White	1	6.85 lbs.
LBS31T-SLV	31.5" x 9" Silver Steel Tool Storage Kit with 8 LocHooks	Steel	Silver	1	6.85 lbs.
LBS31T-WHT	31.5" x 9" White Steel Tool Storage Kit with 8 LocHooks	Steel	White	1	6.85 lbs.
LBS36G-SLV	36" x 4.5" Silver Steel Garden Pegboard Kit with 8 LocHooks	Steel	Silver	1	5.41 lbs.
LBS36G-WHT	36" x 4.5" White Steel Garden Pegboard Kit with 8 LocHooks	Steel	White	1	5.41 lbs.
LBS36T-SLV	36" x 4.5" Silver Steel Tool Pegboard Kit with 8 LocHooks	Steel	Silver	1	5.23 lbs.
LBS36T-WHT	36" x 4.5" White Steel Tool Pegboard Kit with 8 LocHooks	Steel	White	1	5.23 lbs.
LBS36P-SLV	36" x 4.5" Silver Steel Pneumatic Tool Pegboard Kit with 6 LocHooks	Steel	Silver	1	6 lbs.
LBS36P-WHT	36" x 4.5" White Steel Pneumatic Tool Pegboard Kit with 6 LocHooks	Steel	White	1	6 lbs.

LocBin[®]

The Most Innovative Channeling System Available Allows Users to Stack and Lock Bins Together


DESCRIPTION

- 1 Engineered anti-slide stops in the channels to ensure stacked or hanging interlocking bins will not slide out from front
- 2 Interlocking feature guarantees bins will not collapse or topple into one another, spilling or mixing contents
- 3 Unique nesting feature allows bins to be stacked maximizing counter and wall space
- 4 Sloped and molded front allows for trouble-free removal of stored items and identification label
- 5 Built-in rear hanging tab enables bins to be mounted to **A.** Round Hole pegboards, **B.** Square-holed pegboards, **C.** Louvered panels **D.** Wall Mount



PRODUCT HIGHLIGHTS

- **FUNCTIONAL:** LocBin(s) are easily transported in the stacked, interlocked position
- **ULTRA DURABLE:** Corrosion resistant, high-density polypropylene
- **VARIETY:** Vast array of color choices
- **EFFICIENT:** Extra deep groove system molded inside each LocBin allows ABS Black Bin Dividers to snap in place inside the bin keeping individual parts separated



STANDARD COLORS



LocBin®

P/N	Description	Colors Available	Outside Dimensions L x W x H	Inside Dimensions L x W x H	Load Capacity	Quantity Per Case
3-210	LocBin®	R, B, Y, BK, GR, BR, GRN	5-3/8" x 4-1/8" x 3"	4-3/4" x 3-9/16" x 2-13/16"	12 lbs.	24
3-220	LocBin®	R, B, Y, BK, GR, BR, GRN	7-3/8" x 4-1/8" x 3"	6-3/4" x 3-9/16" x 2-13/16"	12 lbs.	24
3-235	LocBin®	R, B, Y, BK, GR, GRN	10-7/8 x 11" x 5"	10-1/4" x 10-1/8" x 4-3/4"	55 lbs.	6
3-240	LocBin®	R, B, Y, BK, GR, GRN	14-3/4" x 8-1/4" x 7"	14" x 6-11/16" x 6-3/4"	65 lbs.	6

Specify color after part number when ordering: R-Red, Y-Yellow, B-Blue, BR-Brown, GR-Gray, BK-Black, GRN-Green

LocBin® Wall Systems

P/N	Description	Colors Available	Includes
3-210WS	24 LocBin® Wall System	R, B, Y, BK, GR, BR, GRN	5-600 Wall Hanger
3-210MCWS	24 LocBin® Wall System	Multi-color	5-600 Wall Hanger
3-220WS	24 LocBin® Wall System	R, B, Y, BK, GR, BR, GRN	5-600 Wall Hanger
3-235WS	6 LocBin® Wall System	B, R, Y	5-600 Wall Hanger
3-240WS	6 LocBin® Wall System	B, R, Y	5-600 Wall Hanger
3-1020WS	24 LocBin® Wall System With Two Bin Sizes 3-210 & 3-220 (12 Each)	Red/Blue, Yellow/Blue	5-600 Wall Hanger

Specify color between part number and WS when ordering. Example: 3-1020YBWS R-Red, B-Blue, Y-Yellow, BK-Black, GR-Gray, BR-Brown, GRN-Green

LocBin® Accessories

P/N	Description	Material	Quantity Per Pack	Quantity Per Case
4-210	Black LocBin® Divider For 3-210	ABS	6	12
4-220	Black LocBin® Divider For 3-220	ABS	6	12
4-235	Black LocBin® Divider For 3-235	ABS	6	12
4-240	Black LocBin® Divider For 3-240	ABS	6	6


P/N	Description	Size	Color	Material	Capacity
LVP-1	1x Louvered Panel	24" x 48" x 5/8"	Blue	18 Gauge Steel	200 lbs.
LVP-2	2x Louvered Panels	24" x 48" x 5/8"	Blue	18 Gauge Steel	400 lbs.

P/N	Description	Description	Load Capacity	Quantity Per Pack	Quantity Per Case
5-600	LocBin® Wall Hanger 8 5/8" L x 3 1/4" H x 1/4" D	ABS	50 lbs.	2	12

P/N	Description	Material	Quantity Per Pack	Quantity Per Case
57500	BinClip For Square Hole LocBoard	Bright Zinc Plated Steel	5	50
67500	BinClip For Square Hole LocBoard	Stainless Steel	3	50
77500	BinClip For Round Hole Pegboard 1/8" or 1/4" (Triton DuraBoard, and HDF)	Bright Zinc Plated Steel	5	50

LocBin®

Their uses are endless!!



The first hanging and stacking bins that interlock using a patented dual channel system!



P/N 5-600



P/N 3-1020RBWS



P/N 3-210MCWS

P/N 4-235





Mobile Tool Carts

Mobile Tool Carts

- Dual-sided storage allows users to efficiently organize, manage, and store precision tools, hand tools, equipment, and small parts without clutter.
- Tools and equipment can be transported virtually anywhere within a plant or service environment; a secure locking system ensures items stay in place.
- Pull handle and durable neoprene casters (2 fixed and 2 swivel locking) make it easy to roll the mobile tool carts anywhere across flat services.
- Fully visible storage system improves tool and parts accountability and proper tool usage while increasing overall performance.
- Narrow base allows the user to transport tools around tight corners and through narrow door openings.
- Items can be secured on the tool cart with Triton's patented locking DuraHook®(s) for DBC-4 or LocHook®(s) with 2 and 4 point contact locking features for LBC LocBoard® tool carts.
- Cart frames are made of extra heavy-duty 10 gauge aluminum and equipped with a sturdy aluminum bottom tray for tool boxes, paint cans, lumber, and large items.
- Highest load rating in the industry!
- Equipped with heavy-duty, epoxy powder-coated steel LocBoards with square holes, the LBC-4 tool cart is load rated at 850 lbs., has a total of 28.3 sq. ft. of storage surface and 8 sq. ft. of space on the tray located at the bottom of the cart!
- The LBC-18 has a load rating of 800 lbs., a total storage surface of 18 sq. ft., 4.9 sq. ft. of bottom tray storage, plus an additional top storage tray. 5000 Series LocHooks, with 2 and 4 point contact locking features, securely hold all types of tools and equipment in place and on the move
- DuraBoard® mobile tool cart is equipped with industrial strength, impact resistant, 1/4" thick polypropylene pegboards and has a 650 lb. load rating, 32 sq. ft. of storage space and 8 sq. ft. of tray space. Use with Triton's 70000 or 80000 series DuraHook® double-locking pegboard hooks for secure storage solutions that can be conveniently transported within a service environment

LBC-4B




LBC-18

P/N	Description	Frame	Assembled Dimensions	Storage	Load Rating	Ship Wt.
DBC-4	DuraBoard Tool Cart	Aluminum	48"L x 51-1/2"H x 29-3/4"W	28-1/3 Sq. Ft./8 Sq. Ft. Tray	650 lbs.	77.4 lbs.
LBC-4	White LocBoard Tool Cart	Aluminum	48"L x 46"H x 26-5/8"W	28-1/3 Sq. Ft./8 Sq. Ft. Tray	850 lbs.	84.4 lbs.
LBC-4B	Blue LocBoard Tool Cart	Aluminum	48"L x 46"H x 26-5/8"W	28-1/3 Sq. Ft./8 Sq. Ft. Tray	850 lbs.	84.4 lbs.
LBC-18	White LocBoard Tool Cart	Aluminum	36-3/4"L x 39-1/4"H x 21-1/4"W	18 Sq. Ft./4.9 Sq. Ft. Tray	800 lbs.	57.4 lbs.
LBC-18B	Blue LocBoard Tool Cart	Aluminum	36-3/4"L x 39-1/4"H x 21-1/4"W	18 Sq. Ft./4.9 Sq. Ft. Tray	800 lbs.	57.4 lbs.
LBC-18H	White LocBoard Tool Cart 56 Hooks/4 Bins	Aluminum	36-3/4"L x 39-1/4"H x 21-1/4"W	18 Sq. Ft./4.9 Sq. Ft. Tray	800 lbs.	65.6 lbs.

A flexible and secure storage solution that enhances maintenance, repair and operations (MRO), service performance, and aids in plant-wide standardization.

Stainless Steel Mobile Tool Carts

- The LBC-18SS stainless steel tool cart is the ideal mobile storage solution for medical, food and marine environments when used with stainless steel 60000 series stainless LocHook®(s). The sturdy frame is constructed of stainless steel and the stainless steel LocHook® pegboards are made of 304 brushed stainless steel that will not corrode or rust, even in extreme temperature changes! Storage surface = 18 sq. ft. with 4.9 sq. ft. of tray storage and a convenient storage shelf at the top of the cart. Load rating is the highest in the industry at 800 lbs!
- Equipped with Stainless Steel LocBoards® with square holes and stainless steel frames, the LBC-4SS and LBC-4SSH mobile tool carts are load rated at 850 lbs. and have a total of 28.3 sq. ft. of storage surface and 8 sq. ft. of space on the tray located at the bottom of the cart!
- These carts can be utilized as a mobile storage and organization solution for a sterile or harsh environment!
- The LBC-4SS and LBC-4SSH are equipped with a pull handle and durable neoprene casters (2 fixed and 2 swivel locking) making it easy to transport the carts across flat surfaces. These carts come with a narrow base that allows the user to transport tools around tight corners and through narrow door openings.



LBC-18SS

P/N	Description	Frame	Assembled Dimensions	Storage	Load Rating	Shipping Wt. Pkg.
LBC-4SS	Stainless Steel LocBoard Tool Cart	Stainless Steel Frame	48"L x 46"H x 26-5/8"W	28-1/3 Sq. Ft./ 8 Sq. Ft. Tray	850 lbs.	115 lbs.
LBC-18SS	Stainless Steel LocBoard Tool Cart	Stainless Steel Frame	36-3/4"L x 39-1/4"H x 21-1/4"W	18 Sq. Ft./4.9 Sq. Ft. Tray	800 lbs.	77 lbs.


Mobile Tool Carts

Stainless Steel Mobile Tool Carts

P/N	Description	Frame	Assembled Dimensions	Storage	Load Rating	Shipping Weight
LBC-4SSH	Stainless Steel LocBoard Tool Cart with 66 SS Hooks/6 Bins	Stainless Steel Frame	48"L x 46"H x 26-5/8"W	28-1/3 Sq. Ft./ 8 Sq. Ft. Tray	850 lbs.	98 lbs.
LBC-18SSH	Stainless Steel LocBoard Tool Cart with 60 SS Hooks/3 Bins	Stainless Steel Frame	48"L x 46"H x 26-5/8"W	28-1/3 Sq. Ft./ 8 Sq. Ft. Tray	800 lbs.	65 lbs.




LBC-18SSH



LBC-4SSH

XtraWall® Pegboard Swing Panel Storage Systems

XtraWall® heavy-duty double-sided swinging pegboard panel systems with steel frames are designed to hold a large amount of tools and parts while using a fraction of the wall space normally required. These turnkey systems offer dense tool storage on minimal wall surface by expanding the pegboard storage surface when wall space is at a premium. Each unit comes with either 1/4" polypropylene pegboards, HDF pegboards, or 9/16", 18-gauge steel square hole LocBoard® pegboard that attaches to a heavy duty powder coated steel frame system. (Model W1-D uses 1/4" durable polypropylene pegboard for heavy power and hand tools or large items). Steel pivot wall brackets can be mounted to cement block or wood stud walls. Wood stud installation will require 2" x 6" headers (not provided). Wall mounting bracket and hardware are included (requires assembly). For best holding results on XtraWall® Swing Panels with HDF pegboards or DuraBoard®, use DuraHook® 70000 series locking hooks. For best results on the LocBoard® Swing Panels, use our LocHook® 50000 series 100% heavy duty steel 2 and 4-point contact locking hooks.



P/N	Description	Panels	Color(s)	Material	Swing Radius	Qty Per Pk.	Shipping Wt.
B1	24" x 48" XtraWall Swing Pegboard	1	Natural	HDF	33"	1	39 lbs.
B1-2	(2) 24" x 48" XtraWall Swing Pegboard	2	Natural	HDF	33"	1	69 lbs.
W1	48" x 72" XtraWall Swing Pegboard	1	Natural	HDF	56"	1	89 lbs.
W1-D	48" x 72" XtraWall Poly Swing Pegboard	1	White	Polypropylene	56"	1	92 lbs.
B1-1-LB LW	24" x 48" XtraWall Steel Swing LocBoard	1	White, Blue	Steel	33"	1	57 lbs.
B1-2-LB LW	(2) 24" x 48" XtraWall Steel Swing LocBoard	2	White, Blue	Steel	33"	1	69 lbs.
W1-LB, LW	48" x 72" XtraWall Swing LocBoard	1	White, Blue	Steel	56"	1	84 lbs.

*For shipping details on our LocBoard® Swing Panels, please call Triton Products.

Modular Wall Storage & Accessories



- Storability® Modular Wall Storage is an expandable, versatile, and interchangeable wall mounted storage system, with accessories that fasten and lock securely on a 14-gauge epoxy coated steel frame system.
- Modular systems feature remarkable holding strength and provide years of heavy-duty use.
- Storability® offers a wide choice of accessory items to expand your system to any size wall space available.
- Change placement of accessories on the frame from one area to another in seconds.
- Storability® is the ideal commercial storage solution for maintenance, back room, janitorial and tool crib areas, factory floor, and more.
- Utilize empty wall space for tools, equipment, and other large and heavy items currently sitting on floors, workbenches and work areas, or in office and service areas.
- Modular design makes it easy to install, simple to expand, and cost effective.

P/N	Description	Projection from Wall	Kit Includes	Load Capacity	Ship Weight
1794	33" L x 31.5" H Wall Mount Unit	16"	1 x 33" W Top Track; 2 x 31.5" L Hang Rails; 3 x 31.5" W (Steel Shelves)	375 lbs.	45.5 lbs.
1795	33" L x 31.5" H Wall Mount Unit	16"	1 x 33" W Top Track; 2 x 31.5" L Hang Rails; 3 x 31.5" W (Wire Shelves)	375 lbs.	45.5 lbs.
1799	33" L x 63" H Wall Mount Unit	16"	1 x 33" W Top Track; 4 x 31.5" L Hang Rails; 3 x 31.5" W (Wire Shelves)	375 lbs.	45.5 lbs.
1795-WHT	33" L x 31.5" H Wall Mount Unit	16"	1 x 33" W Top Track; 2 x 31.5" L Hang Rails; 3 x 31.5" W (Wire Shelves)	375 lbs.	45.5 lbs.
1799-WHT	33" L x 63" H Wall Mount Unit	16"	1 x 33" W Top Track; 4 x 31.5" L Hang Rails; 3 x 31.5" W (Wire Shelves)	375 lbs.	45.5 lbs.


Storability® offers wall storage options never before available to fit all of your organization requirements!

Complete ModularWall Storage Kits

P/N	Installed Size	Projection from Wall	Load Capacity	Material	Ship Weight
1730	Modular Closet, Garage, and Laundry Organizer Kit	16"	750 lbs.	Epoxy Coated Steel	60.6 lbs.
1733	Long Handle Tool Hook Kit	6.1"	50 lbs.	Epoxy Coated Steel	33.5 lbs.
1740	66" W x 63" H Double LocBoard System	16"	750 lbs.	Epoxy Coated Steel	45.5 lbs.
1785	33" L x 63" H Modular Wall System Kit	16"	375 lbs.	Epoxy Coated Steel	33.5 lbs.

1730

Items included: Modular Closet, Garage, and Laundry Organizer Kit with (2) 33 In. top track, (3) 3 part vertical hang rails, (3) 31 In. wide x 15 In. deep wire shelf, (3) Clothes Rod, (2) Shoe and Boot Rack & Mounting Hardware




1733

Items included: (1) 33 In. top track, (3) 3 Large Tool Keepers and all required hardware.



1740

Items included: (2) top tracks, (3) hang rails and mounting hardware, (2) 31 In. wire shelves, (2) 31 In. combination rail, (4) assorted heavy duty hooks for combination rail, (4) Plastic Hanging Bins, (1) 31 In. wire basket with lock-on hanging brackets, (1) 31 In. metal shelf with lock on hanging brackets, (2) 31 In. x 18.75 In. LocBoard®(s) with (20) LocHook™(s).




1785

Items included: (1) 33 In. top track, (2) 3 part vertical hang rails, (1) 31 In. wide x 15 In. deep wire shelf, (1) 31 In. combination rail with (3) hanging bins and (3) heavy-duty hooks, (1) LocBoard steel pegboard with (11) commercial hook assortment (1) 31 In. wire basket and all required hardware.




Framing System Components

P/N	Installed Size	Projection from Wall	Case Quantity
1700	33" W x 1 3/4" H Top Track Wall Frame	1-1/4"	8
1700-WHT	33" W x 1 3/4" H Top Track Wall Frame	1-1/4"	8
1701	2 x 31 1/2" Vertical Hang Rail & Hardware	1-1/4"	8
1701-WHT	2 x 31 1/2" Vertical Hang Rail & Hardware	1-1/4"	8




Accessory Items Modular

P/N	Installed Size	Projection from Wall	Case Quantity
1710	30 7/8" W Combination Rail Kit w/ 6 Heavy-Duty Assorted Rail Hooks	2"	6
1715	31" W Wire Basket w-2 Lock-on Hang Brackets	8"	6
1720	31" W Wire Shelf w-2 Lock-on Hang Brackets	16"	6
1721	31" W Clothing Rod	16"	8
1738	2 pk. Large Tool Keepers - Mount on Top Track	6 1/4"	6
1755	31" W Large Steel Shelf	16"	6
1765	31" W Shoe and Boot Rack	15"	6
1775	15" W Small Wire Basket with 2 Lock-On Hang Brackets	8"	6



Shadow Board Self-Adhesive Vinyl Tape

- Easy identification of tools and accessories.
- Ideal for silhouetting tools, bins and any accessory item being stored. Self-adhesive paper backing can easily be removed.
- Vinyl tape can be used to shadow items on HDF, polypropylene, steel or stainless steel pegboards.
- Easily peels off shadow board with no damage to the surface.
- Color code groups of items that need to be stored and viewed separately.



P/N	Description	Size W x L x D	Material	Color	Qty. Per Pk.	Shipping Wt.
TSV1260-BLK	Black Shadow Board Self-Adhesive Vinyl Tape	12" x 60" x 11 mm	Vinyl	Black	1	0.48 lbs.
TSV1260-BLU	Blue Shadow Board Self-Adhesive Vinyl Tape	12" x 60" x 11 mm	Vinyl	Blue	1	0.48 lbs.
TSV1260-GRY	Gray Shadow Board Self-Adhesive Vinyl Tape	12" x 60" x 11 mm	Vinyl	Gray	1	0.48 lbs.
TSV1260-GRN	Green Shadow Board Self-Adhesive Vinyl Tape	12" x 60" x 11 mm	Vinyl	Green	1	0.48 lbs.
TSV1260-ORN	Orange Shadow Board Self-Adhesive Vinyl Tape	12" x 60" x 11 mm	Vinyl	Orange	1	0.48 lbs.
TSV1260-RED	Red Shadow Board Self-Adhesive Vinyl Tape	12" x 60" x 11 mm	Vinyl	Red	1	0.48 lbs.
TSV1260-WHT	White Shadow Board Self-Adhesive Vinyl Tape	12" x 60" x 11 mm	Vinyl	White	1	0.48 lbs.
TSV1260-YEL	Yellow Shadow Board Self-Adhesive Vinyl Tape	12" x 60" x 11 mm	Vinyl	Yellow	1	0.48 lbs.

Magnetic Holders

P/N	Description	Size	Color
KTI-72450	Double Prong Tool Holder	4 In. L x 2 In. W x 3 In.	Black
KTI-72451	Steel Air Tool Hanger	4 In. L x 4 In. W x 4.5 In.	Black
KTI-72460	Magnetic Tool Box	12 In. L x 3.5 In. W x 5 In.	Black
KTI-72465	Multi-Function Tool Holder	20 In. W x 5 In. D x 4.75 In.	Black

KTI-72465



KTI-72460



KTI-72451



Zip Ties

- **Nylon zip ties** are useful when needing to bundle and harness items. They have hundreds of uses with various applications including: electrical, auto, marine, home and garden. They can be used to secure cables, cords, wires and more in indoor and outdoor settings. Made in the U.S.A.

P/N	Length	Tensile	Color	Material	QTY	Min. Bundle Dia.	Max. Bundle Dia.	Operating Temp. °F Min./Max	UL Rated
ZT-04N	4"	18 lbs.	Natural	Nylon	100	0.06"	0.87"	-40 to 185	Indoor and Outdoor Use
ZT-07N	7"	50 lbs.	Natural	Nylon	100	0.06"	1.87"	-40 to 185	Indoor and Outdoor Use
ZT-11N	11"	50 lbs.	Natural	Nylon	100	0.06"	3.06"	-40 to 185	Indoor and Outdoor Use
ZT-14N	14"	50 lbs.	Natural	Nylon	100	0.06"	4"	-40 to 185	Indoor and Outdoor Use
ZT-24N	24"	175 lbs.	Natural	Nylon	50	1.5"	7.18"	-40 to 185	Indoor and Outdoor Use
ZT-36N	36"	175 lbs.	Natural	Nylon	50	1.5"	11"	-40 to 185	Indoor and Outdoor Use

P/N	Length	Tensile	Color	Material	QTY	Min. Bundle Dia.	Max. Bundle Dia.	Operating Temp. °F Min./Max	UL Rated
ZT-04BK	4"	18 lbs.	UV Black	Nylon	100	0.06"	0.87"	-40 to 185	Indoor and Outdoor Use
ZT-07BK	7"	50 lbs.	UV Black	Nylon	100	0.06"	1.87"	-40 to 185	Indoor and Outdoor Use
ZT-11BK	11"	50 lbs.	UV Black	Nylon	100	0.06"	3.06"	-40 to 185	Indoor and Outdoor Use
ZT-14BK	14"	50 lbs.	UV Black	Nylon	100	0.06"	4"	-40 to 185	Indoor and Outdoor Use
ZT-24BK	24"	175 lbs.	UV Black	Nylon	50	1.5"	7.18"	-40 to 185	Indoor and Outdoor Use
ZT-36BK	36"	175 lbs.	UV Black	Nylon	50	1.5"	11"	-40 to 185	Indoor and Outdoor Use



TRITON

PRODUCTS®

TRITON PRODUCTS®

30700 CARTER STREET
SOLON, OH 44139

PHONE: 440-248-5480

EMAIL: SALES@TRITONPRODUCTS.COM

